

TECHNICAL DATA/SPECIAL EQUIPMENT 2019 | 2020 INTERNATIONAL VERSION




# **SERIES EQUIPMENT**

	Davis	Dexter	<b>Dexter</b> with high roof and lift-up beds
Fiat Ducato	S	S (except DE 560)	S
Ford Transit	_	S (just DE 560)	_
EURO 6 D Temp incl. particulate filter	S	S	S
Driver airbag	S	S	S
Co-driver airbag	-	S (just DE 560)	-
ABS (Anti-lock braking system)	S	S	S
ESP incl. Traction +, Hill descend	S	S (except DE 560)	S
Air conditioner (Manual)	-	S (just DE 560)	_
Cruise control	_	S (just DE 560)	-
Radio preparation + Radio	_	S (just DE 560)	_
Captain's chair Seats with Armrests	-	S (just DE 560)	-
Power steering	S	S	S
Height-adjustable headlamps	S	S	S
Immobilizer	S	S	S
3-point safety belt system	S	S	S
Electrical front window lifters	S	S	S
Electrical adjustable and heated exterior mirrors	-	S (just DE 560)	-
Central locking with remote control	S	S	S
Wheel trims	-	S (just DE 560)	_
Fix-and-go breakdown kit	S	_	_
Spare wheel	-	S	S (except DE 550)
Wheel house seats in cabin upholstery	-	S	S
Carpet in cabin	-	S	S
Fog lights	-	S (just DE 560)	_
Front bumper in vehicle color	-	S (just DE 560)	-
Front bumper in black	S	S (except DE 560)	S
Rear bumper in black	S	S	S
Leather steering wheel	S	S	S
Ford cab darkening system	-	S (just DE 560)	-
	_		
Wall and ceiling insulation in PE-foam with no cold spots	S	S	\$ ( \tau \tau \tau \tau \tau \tau \tau \tau
High roof, insulated			S (except DE 625)
Body colour trend white	S	S	S
Window in superstructure, with quick release levers	S		_
Insulated frame windows	-	S	S
Exterior lighting	-	S	\$
Electrical step tread	\$	S	S
400 x 400 mm roof hood with blackout blind and mosquito protection (piece)	2 (DA 540: 1)	<del>-</del>	1 (DE 550)
Midi Heki (piece)	<del>-</del>	1	1 (except DE 550)
Mini Heki (piece)		2 (DE 540 and 560: 1)	1 (DE 595 2, except DE 550)

# **SERIES EQUIPMENT**

		Davis	Dexter	<b>Dexter</b> with high roof and lift-up beds
Refr	rigerator, 80 l	S (except DA 592)	S (except DE 581)	_
Refr	rigerator, 109 l	-	<u>-</u>	S (except DE 595)
Refr 2-fla	rigerator, 140 l	S (just DA 592)	S (just DE 581)	S (just DE 595)
≧ 2-fla	ame cooker with cover	S	S (DE 550: 3-flame)	S
Gas	operating components, centred	S	S	S
Wor	rktop with integrated sink	S	S	S
т —				
∑ Toile	et room with integrated shower	S	S	S
	shroom window	S (except DA 540)	S (except DE 560)	S
E Sho	wer tray cover with slatted frame	S	S (except DE 560)	S
E Con	nfortable bathroom with variable effective area	S (just DA 600)		_
Cas	sette toilet	S	S	S
Cori	al upholstery Bari	S		
	al upholstery Roma			<u> </u>
Face	m mattress on lift bed	<del>-</del>	<u> </u>	<u> </u>
	m mattresses with wooden slatted frame			S (except DE 550 + DE 595)
S Edg	I-down bunk	<del>-</del>	<del>-</del>	S (except DE 330 + DE 333)
S Fold	bient lighting	<u>-</u>	<u>-</u>	<u> </u>
∃ Tabl	le extension		<u> </u>	5
	ible bunk bed	S (just DA 591)	S (just DE 581)	3
	gle bed over the rear bed	5 (Just DA 331)	S (just DE 560 without 4x4)	_
1 Sing	jie bed over the real bed		3 (ust DE 300 Without 4x4)	
Hea	ting system Combi 4 (Diesel)	S	-	-
∠ Hea	ting system Combi 6 (Diesel)	_	S	S
음 Hot	water supply with single-lever mixer tap	S	S	S
Hot Wat Pres	ter pipes, insulated	S	S	S
Y Pres	ssurised water pump	S	S	S
ĕ Hea	ted and insulated waste water tank	S	-	_
Hea	ted waste water tank	-	S	S
т	1			
	ng area battery	S	S	S
	tch-disconnectors for starter and superstructure battery	S	S	S
Flec	ctr. charger for superstructure/vehicle battery	S	S	S
	external connection for 230 V with circuit breaker	<u>S</u>	<u> </u>	S
Eart	th leakage circuit breaker	S S	S	<u> </u>
Ø 220	board control panel with entry of all important functions	3	5	3
	V socket (piece)	1	1	1
	/ socket (piece)	<u> </u>	<u> </u> 1	1
T ∩2R	o waii Uuliet	l		

# FIND YOUR WAY AROUND QUICKLY:



- 1 Swivelling driver and front passenger seats
- 2 Lounge suite
- 3 Extra seat
- (4) Sink
- 5 Hot plate with 2 burners
- (6) Wardrobe
- 7 Refrigerator
- 8 Wardrobe
- 9 Shower
- 10) Toilet
- (11) Sink
- (12) Lift-up bed
- (13) Bed conversation seating unit

## TECHNICAL DATA MODELS WITH ALL-WHEEL / MODELS WITH DOUBLE BEDS UP TO 6 M

# Models with all-wheel drive up to 6 m Models with double beds up to 5.50 m NEV

	Dexter 560 4x4	Dexter 540	Davis 540
Basic vehicle	Ford Transit 2.0 ltr. 96 kW (130 HP)	Fiat Ducato 33L, 2.3 ltr. 89 kW (120 HP)	Fiat Ducato 33L, 2.3 ltr. 89 kW (120 HP)
Fuel tank	70 ltr Diesel + 24 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue
Technically permissible total weight*	3,500 kg	3,300 kg	3,300 kg
Mass when ready to drive **	3,154 kg	2,825 kg	2,785 kg
Permissible gross train weight with 120 HP / 140, 160, 180 HP (except DE 560)	6,000 kg	5,500 / 5,800 kg	5,500 / 5,800 kg
Trailerload, braked*** with 120 HP / 140, 160, 180 HP (except DE 560)	2,800 kg	2,000 / 2,500 kg	2,000 / 2,500 kg
Total length	5,980 mm	5,420 mm	5,420 mm
Total width	2,059 mm	2,050 mm	2,050 mm
Total height	2,780 mm	2,570 mm	2,610 mm
Internal width	1,870 mm	1,860 mm	1,860 mm
Standing height	1,970 mm	1,890 mm	1,890 mm
Wheel base	3,750 mm	3,450 mm	3,450 mm
Tyres	235/65 R16	215/70 R15	215/70 R15C
Bed conversation seating unit	1,723 x 1,077 mm	1,835 x 1,070 mm	_
Rear bed	1,870 x 1,350 mm	1,900 x 1,330 mm	1,900 x 1,330 mm
Beds	2 (3)	2 (3)	2
Permissible number of passengers with 3-pt belt	4	4	4
Fresh water capacity complete	80 l	100 l	100 l
Wastewater capacity	60 l	90 l	90 l
Gas	2 x 5 kg	2 x 5 kg	2 x 5 kg
Battery capacity	1 x 75 Ah	1 x 75 Ah	1 x 95 Ah
Charger	17 A	17 A	15 A
Refrigerator	80 I	80 l	80 I

\*\* The permissible total gross vehicle weight (combined weight) must be adhered to.

<sup>\*</sup> The "technically-permissible total laden weight" stated in the vehicle registration document may never be exceeded for safety reasons.

<sup>\*\*</sup> Mass in running order according to Commission Regulation (EU) No 1230/2012: vehicle with standard equipment in accordance with manufacturer's specifications including the driver (75 kg), fuel tank(s) filled to at least 90 % of its or their capacity/ies, water and gas (5 kg aluminium gas bottle) without special equipment.

# **TECHNICAL DATA MODELS WITH DOUBLE BEDS UP TO 6 M**

#### Models with double beds up to 6 m









		D ( 550	B / F00	D 4 504	D : 500	D : 504	D ' 500
		Dexter 560	Dexter 580	Dexter 581	Davis 590	Davis 591	Davis 592
				with Bunk bed and XL-Refrigerator		with Bunk bed	with XL-Refrigerator
T	Basic vehicle	Ford Transit, 2.0 ltr. 96 kW (130 HP)	Fiat Ducato 35L // 35H, 2.3 ltr. 89 kW (120 HP)	Fiat Ducato 35L // 35H, 2.3 ltr. 89 kW (120 HP)	Fiat Ducato 33L // 35H, 2.3 ltr. 89 kW (120 HP)	Fiat Ducato 33L // 35H, 2.3 ltr. 89 kW (120 HP)	Fiat Ducato 33L // 35H, 2.3 ltr. 89 kW (120 HP)
Ė	Fuel tank	70 ltr Diesel + 24 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue
VEHICLI	Technically permissible total weight*	3,500 kg	3,500 kg	3,500 kg	3,300 kg // 3,500 kg	3,300 kg // 3,500 kg	3,300 kg // 3,500 kg
3	Mass when ready to drive**	2,996 kg	2,781 kg	2,821 kg	2.865 kg	2.885 kg	2.875 kg
BASIC	Permissible gross train weight with 120 HP / 140, 160, 180 HP (except DE 560)	5,500 kg	5,800 / 6,000 // 6,500 kg****				
	Trailerload, braked*** with 120 HP / 140, 160, 180 HP (except DE 560)	2,800 kg	2,000 / 2,500 // 3,000 kg****				
Τ	Total length	5,980 mm	5,990 mm	5,990 mm	5,995 mm	5,995 mm	5,995 mm
	Total width	2,059 mm	2,050 mm	2,050 mm	2,050 mm	2,050 mm	2,050 mm
DIMENSIONS	Total height	2,740 mm	2,570 mm	2,570 mm	2,610 mm	2,610 mm	2,610 mm
SS	Internal width	1,870 mm	1,940 mm	1,940 mm	1,860 mm	1,860 mm	1,860 mm
ME	Standing height	2,040 mm	1,890 mm	1,890 mm	1,890 mm	1,890 mm	1,890 mm
		3,750 mm	4,035 mm	4,035 mm	4,035 mm	4,035 mm	4,035 mm
S AND		215/65 R15	215/70 R15 // 225/75 R16C*****	215/70 R15 // 225/75 R16C****			
WEIGHTS	Bed conversation seating unit	1,723 x 1,077 mm	1,800 x 1,020 mm	1,800 x 1,020 mm	-	1,860 x 1,440 mm	_
ΛĒ	Rear bed	1,870 x 1,350 mm	1,900 x 1,320 mm	1,900 x 1,320 mm	1,900 x 1,440 mm	1,860 x 1,320 mm	1,900 x 1,440 mm
	Beds	3 (4)	2 (3)	4	2 (3)	4/5	2 (3)
1	Permissible number of passengers with 3-pt belt	4	4	4	4	4	4
Ţ	Fresh water capacity complete	80 I	100 l				
NSTALLATION	Wastewater capacity	60 l	90 l	90 l	90 l	90 l	90 l
Ā	Gas	2 x 5 kg	2 x 5 kg	2 x 5 kg	2 x 5 kg	2 x 5 kg	2 x 5 kg
M	Battery capacity	1 x 75 Ah	1 x 75 Ah	1 x 75 Ah	1 x 95 Ah	1 x 95 Ah	1 x 95 Ah
NS	Charger	17 A	17 A	17 A	15 A	15 A	15 A
Ī	Refrigerator	80 I	80 I	140 l	80 I	80 I	140 l

<sup>\*</sup> The "technically-permissible total laden weight" stated in the vehicle registration document may never be exceeded for safety reasons.

<sup>\*\*</sup> Mass in running order according to Commission Regulation (EU) No 1230/2012: vehicle with standard equipment in accordance with manufacturer's specifications including the driver (75 kg), fuel tank(s) filled to at least 90 % of its or their capacity/ies, water and gas (5 kg aluminium gas bottle) without special equipment. | \*\*\* The permissible total gross vehicle weight (combined weight) must be adhered to. | \*\*\*\* with 35 H Chassis (Optional)

# **TECHNICAL DATA MODELS WITH SINGLE BEDS UP TO 6.50 M**


#### Models with single beds up to 6 m

#### Models with single beds up to 6.50 m











	Dexter 600	Davis 600	Davis 620	Dexter 625
Basic vehicle	Fiat Ducato 35L // 35H, 2.3 ltr. 89 kW (120 HP)	Fiat Ducato 33L // 35H, 2.3 ltr. 89 kW (120 HP)	Fiat Ducato 35L // 35H, 2.3 ltr. 89 kW (120 HP)	Fiat Ducato 35L // 35H, 2.3 ltr. 89 kW (120 HP)
Fuel tank Technically permissible total weight*	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue
Technically permissible total weight*	3,500 kg	3,300 kg // 3,500 kg	3,500 kg	3,500 kg
Mass when ready to drive**  Permissible gross train weight with 120 HP / 140, 160, 180 HP	2,783 kg	2,895 kg	2,995 kg	2,920 kg
Permissible gross train weight with 120 HP / 140, 160, 180 HP	5,800 / 6,000 // 6,500 kg****	5,800 / 6,000 // 6,500 kg****	6,000 // 6,500 kg****	6,000 // 6,500 kg****
Trailerload, braked*** with 120 HP / 140, 160, 180 HP	2,000 / 2,500 // 3,000 kg****			
Total length	5,990 mm	5,995 mm	6,360 mm	6,360 mm
Total width	2,050 mm	2,050 mm	2,050 mm	2,050 mm
Total height	2,570 mm	2,610 mm	2,610 mm	2,570 mm
Internal width	1,940 mm	1,860 mm	1,860 mm	1,940 mm
Total height Internal width Standing height Wheel base	1,890 mm	1,890 mm	1,890 mm	1,890 mm
	4,035 mm	4,035 mm	4,035 mm	4,035 mm
Tyres	215/70 R15 // 225/75 R16C****	215/70 R15 // 225/75 R16C****	215/70 R15 // 225/75 R16C****	215/70 R 15 // 225/75 R16C****
	-	-	-	1,875 x 1,150 mm
Bed conversation seating unit Rear bed	1,960 x 1,030 mm 1,900 x 930 mm	1,740 x 750 mm 1,900 x 780 mm	1,900 x 800 mm 1,950 x 800 mm	1,925 x 800 mm 1,870 x 800 mm
Beds	2	2/3 (Option)	2/3 (Option)	3
Permissible number of passengers with 3-pt belt	2	4	4	4
Fresh water capacity complete	100 l	100 l	100 l	100 l
	90 I	90 l	90 l	90 l
Wastewater capacity Gas Battery capacity Charger	2 x 5 kg			
Battery capacity	1 x 75 Ah	1 x 95 Ah	1 x 95 Ah	2 x 75 Ah
Charger	17 A	15 A	15 A	17 A
Refrigerator	80 I	80 l	80 l	80 I

The "technically-permissible total laden weight" stated in the vehicle registration document may never be exceeded for safety reasons.

Mass in running order according to Commission Regulation (EU) No 1230/2012: vehicle with standard equipment in accordance with manufacturer's specifications including the driver (75 kg), fuel tank(s) filled to at least 90 % of its or their capacity/ies, water and gas (5 kg aluminium gas bottle) without special equipment. The permissible total gross vehicle weight (combined weight) must be adhered to.

with 35 H Chassis (Optional)

# **TECHNICAL DATA MODELS WITH HIGH ROOF AND LIFT-UP BEDS UP TO 6 M**

#### Models with high roof and lift-up beds up to 6 m







	exter	EEV
IJ	exter	ววบ

Dexter 555

Dexter 595

Basic vehicle	Fiat Ducato 35L,	Fiat Ducato 35L // 35H,	Fiat Ducato 35L // 35H,
<u> </u>	2.3 ltr. 89 kW (120 HP)	2.3 ltr. 89 kW (120 HP)	2.3 ltr. 89 kW (120 HP)
Technically permissible total weight* Fuel tank	3,500 kg	3,500 kg	3,500 kg
Fuel tank	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue	75 ltr Diesel + 19 Ltr Ad Blue
Mass when ready to drive** Permissible gross train weight with 120 HP / 140, 160, 180 HP	2,910 kg	3,034 kg	2,962 kg
Permissible gross train weight with 120 HP / 140, 160, 180 HP	5,500 / 5,800 kg	5,800 / 6,000 // 6,500 kg****	5,800 / 6,000 // 6,500 kg****
Trailerload, braked*** with 120 HP / 140, 160, 180 HP	2,000 / 2,500 kg	2,000 / 2,500 // 3,000 kg****	2,000 / 2,500 // 3,000 kg****
Total length	5,480 mm	5,990 mm	5,990 mm
Total width	2,050 mm	2,050 mm	2,050 mm
Total height Internal width Standing height	2,780 mm	2,880 mm	2,880 mm
Internal width	1,940 mm	1,940 mm	1,940 mm
Standing height	1,950 mm	1,850 - 2,100 mm	1,850 - 2,100 mm
5 Wheel base	3,450 mm	4,035 mm	4,035 mm
Tyres	215/70 R15	215/70 R15 // 225/75 R16C****	215/70 R15 // 225/75 R16C****
Bed conversation seating unit	1,900 x 1,220 mm	1,970 x 1,320 mm	1,875 x 1,210 mm
Rear bed	_	1,940 x 1,340 mm	_
Front bed / lift bed	1,920 x 1,550 mm	1,970 x 1,210 mm	1,900 x 1,300 mm
Beds	4	6	4
Permissible number of passengers with 3-pt belt	4	4 (5)	4****
Fresh water capacity complete	100 l	100 l	100 l
Wastewater capacity	90 l	90 l	90 l
Wastewater capacity Gas Battery capacity Charger	1 x 11 kg	2 x 5 kg	2 x 5 kg
Battery capacity	2 x 75 Ah	2 x 75 Ah	2 x 75 Ah
Charger	17 A	17 A	17 A
Refrigerator	109 l	109 l	140 l

The "technically-permissible total laden weight" stated in the vehicle registration document may never be exceeded for safety reasons.

Mass in running order according to Commission Regulation (EU) No 1230/2012: vehicle with standard equipment in accordance with manufacturer's specifications including the driver (75 kg), fuel tank(s) filled to at least 90 % of \*\* its or their capacity/ies, water and gas (5 kg aluminium gas bottle) without special equipment.

The permissible total gross vehicle weight (combined weight) must be adhered to. | \*\*\*\* with 35 H Chassis (Optional) | \*\*\*\*\* Not in conjunction with 180 HP engine.

<sup>\*\*\*</sup> 

# **SPECIAL EQUIPMENT**

			All- wheel drive			Mode	els with	double	beds			Mod	els with	ı single	<u>beds</u>		odels w ft-up be			
			DEX 560 4x4	DEX 540	DAV 540	DEX 560	DEX 580	DEX 581	DAV 590	DAV 591	DAV 592	DEX 600	DAV 600	DAV 620	DEX 625	DEX 550	DEX 555	DEX 595	Weight in kg	Price in €
T	2836	Safety comfort Package	S	0	0	S	0	0	0	0	0	0	0	0	0	0	0	0	3.0	690
	2850	Travel comfort Package	S	0	0	S	0	0	0	0	0	0	0	0	0	0	0	0	9.4	1,190
	2851	Style Package	-	0	0	-	0	0	0	0	0	0	0	0	0	0	0	0	3.0	990
10	4501	Concept Package	_	0	0	-	_	-	-	_	_	-	-	_	-	0	-	_	118.4	3,190
PACKAGES	4502	Concept Package	-	-	-	-	-	-	-	-	_	-	-	-	-	-	0	0	120.4	3,190
Ϋ́	4503	Concept Package	-	-	_	-	0	0	0	0	0	0	0	_	-	-	-	_	121.4	3,190
Μ	4504	Concept Package	-	-	_	-	-	-	-	-	_	-	-	0	0	-	-	_	127.4	3,190
COMFORT	3222	Media Package 1	_	0	0	-	0	0	0	0	0	0	0	0	0	0	0	0	3.0	790
¥	3224	Media Package 2	-	0	0	-	0	0	0	0	0	0	0	0	0	0	0	0	3.0	990
<u></u>	3229	Media Package 3	_	0	0	-	0	0	0	0	0	0	0	0	0	0	0	0	3.0	1,390
	4522	Lifestyle Package	-	-	0	-	_	-	0	0	0	-	0	0	-	-	_	-	5.0	2,490
	3232	Ford Media Package	0	-	_	0	_	_	_	_	_	-	_	_	-	-	_	_	3.0	3,190
	4523	Driving assistance package (emergency brake assistant, lane departure warning system, high beam assistant, traffic sign recognition, light and rain sensor)	-	0	0	-	0	0	0	0	0	0	0	0	0	0	0	0	1.0	990
Ţ	2131	Automatic transmission Fiat	-	0	0	_	0	0	0	0	0	0	0	0	0	0	0	0	19.0	3,390
	2137	Automatic transmission Ford	_	_	_	0	_	_	_	_	_	_	_	_	_	-	_	_	45.0	3,390
CHASSIS —	2315	Chassis - 35 H (16" Tyres, up to 3,000 kg Trailerload) not in comb. with painted bumper	-	-	-	-	0	0	0	0	0	0	0	0	0	-	0	0	40.0	990
¥	2371	Fuel tank 90 L	_	0	0	_	0	0	0	0	0	0	0	0	0	0	0	0	26.0	190
_ _	2551	Fog lights	S	0	0	S	0	0	0	0	0	0	0	0	0	0	0	0	1.0	290
	2592	Rear drive praking sensor	-	0	0	_	0	0	0	0	0	0	0	0	0	0	0	0	1.0	390
	2714	Automatic air conditioning for Fiat	-	0	0	_	0	0	0	0	0	0	0	0	0	0	0	0	18.0	490
_																				
		VARNISH PAINT																		
	2407	Varnish paint "Silver Metallic"	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	2.5	790
	2409	Varnish paint "Iron Grey Metallic"	0	0	0	0	0	0	0	0	0	0	0	0	0	-	0	0	2.5	790
	2410	Varnish paint "White"	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	0.0	0
	2420	Varnish paint "Dark Red Metallic"	_	0	0		0	0	0	0	0	0	0	0	0	_	0	0	2.5	790
B	2421	Varnish paint "Black Metallic"	0	0	0	0	0	0	0	0	0	0	0	0	0	-	0	0	2.5	790
ES	2424	Varnish paint "Iceblue Metallic"	-	0	0		0	0	0	0	0	0	0	0	0	-	0	0	2.5	790
2	2425	Varnish paint "Champagne Metallic"		0	0		0	0	0	0	0	0	0	0	0	_	0	0	2.5	790
EXTERIOR DESIGN	2426	Varnish paint "Campovolo Grey"	-	0	0		0	0	0	0	0	0	0	0	0	-	0	0	2.5	790
Ë	2422	Varnish paint "Chrome Blue"	0	_		0						-				_			2.5	790
	2423	Varnish paint "Diffused Silver"	0	-	_	0	_			_		_		_		_		_	2.5	790
		RIMS																		
	2220	Alloy wheels 15" for Ducato 15" 33L / 35L	_	0	0		0	0	0	0	0	0	0			0	0	0	4.0	490
	2221	16" matte black aluminium rims for Ducato only 35L / 35H	_	_	_		0	0	0	0	0	0	0	0	0	0	0	0	10,0	590
	2223	Alloy wheels 16" for Ducato nur 35L / 35H, Ford	0	_	_	0	0	0	0	0	0	0	0	0	0	_	0	0	10,0	590
Т																			10.0	230.

# **SPECIAL EQUIPMENT**

			All- wheel drive			Mode	els with	double	e beds			Mod	els with	single	beds		odels w ft-up be			
			DEX 560 4x4	DEX 540	DAV 540	DEX 560	DEX 580	DEX 581	DAV 590	DAV 591	DAV 592	DEX 600	DAV 600	DAV 620	DEX 625	DEX 550	DEX 555	DEX 595	Weight in kg	Price in €
T		OUTSIDE																		
	576	Fly screen for door	-	0	0	_	0	0	0	0	0	0	0	0	0	0	0	0	5.0	490
		INSIDE																		
3	613	Insulation curtain (all round cabin insulation)	_	-	0	_	_	_	0	0	0	_	0	0	_	_	_	_	5.0	490
	680	Cabin blinds Fiat	-	0	0	-	0	0	0	0	0	0	0	0	0	0	0	0	7.0	590
6	220	Extra bed 1 person (conversion dinette)	_	_	0	_	_	_	0	0	0	_	0	0	_	_	_	_	15,0	390
1	352	5th Seat contrary to the direction of travel	_	-	_	_	_	-	_	_	_	_	_	_	_	-	0	_	35.0	1,190
3	230	Solarpanel	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	11.0	490
	520	Sky roof	-	0	Р	-	0	0	Р	Р	Р	0	Р	Р	0	-	-	_	20.0	1,190
	511	Rear left window	_	_	_	_	_	_	P	_	P	_	_	Р	_	_	_	_	10.0	290
		BICYCLE RACKS																		
	147	Bicycle racks for 2 bikes (up to 30 kg)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7.0	490
SUPERSTRUCTURE		AWNING																		
2	240	Awning 3.7 m mechanical	_	_	_	_	0	0	0	0	0	0	0	_	_		_	_	30.0	1,190
S	241	Awning 3.1 m mechanical	0	0	0	0	_	_	_	_	_	_	_	_	_	0	_	_	27.0	1,190
E :	242	Awning 3.5 m mechanical	_	_	_	_	_	_	_	_	_	_	_	_	_	_	0	0	29.0	1,190
os -	243	Awning 4 m mechanical	-	-	-	_	_	_	-	-	-	-	_	0	0	-	_	-	36.0	1,190
П		HEATING SYSTEM																		
1 3	227	Heating system Combi 6DE incl. CP plus (Diesel) – additional price to Combi 4 Diesel	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.0	590
	226	Heating system Combi 6E incl. CP plus (Gas) – additional price to Combi 4 Diesel	-	_	0	_	-	_	0	0	0	-	0	0	_	-	-	-	1.0	590
١.		UPHOLSTERY																		
	145	Upholstery "Palermo"	0	0		0	0	0				0			0	0	0	0	0.0	0
1 -	001	Upholstery "Arco"	-	_	0	_	_	-	0	0	0	_	0	0	_	_	-	-	0.0	0
		MULTIMEDIA																		
	446	Flat screen holder incl. TV-preparation with 12 V	_	_	0				0	0	0	_	0	0					4.0	390
1 -	450	SAT antenna incl. TV	0	0	_	0	0	0	_		_	0		_	0	0	0	0	11.0	2,490
1 - 5	212	Multimedia-ready (connection for radio, steering wheel controls, rear view camera)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2.0	690
		DELIVERY (MANDATORY)																		
C	0009	Chassis-Transport and registration papers	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	400
	\801	Transfer costs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		590
-																				

## **OPTIONAL PACKAGES**

♠ TRAVEL COMFORT PACKAGE\*\*1 190 - €

THE WELL COMM ON THE WOLL	.,.50. 0
PACKAGE COMPONENTS:	
Air conditioning cab	
Electrical exterior mirrors	
Cabin seats with armrests	
Radio preparation with speakers	
SAFETY COMFORT PACKAGE**	690 €
PACKAGE COMPONENTS:	
Co-driver airbag	
Cruise control	
DRIVING ASSISTANCE PACKAGE*	990 €
PACKAGE COMPONENTS:	
Emergency brake assistant	
Lane departure warning system	
High beam assistant	
Traffic sign recognition	
Light and rain sensor	
<b>STYLE PACKAGE*</b>	990 €
PACKAGE COMPONENTS:	
Painted bumpers	
Radiator grill in shiny black	
Flood light with black frame	
FIAT LED running daylights	
Control panel with chrome frame	
Wheel cover	

<b>SALL INCLUSIVE EQUIPMENT</b> "CONCEPT"	3,190 €
PACKAGE COMPONENTS:	
140 HP-Engine	790
Travel comfort Package	1,190
Safety comfort Package	690
Style Package	990
Fog lights	290
Cabin blinds	590
Bicycle racks for 2 bikes	490
Awning	1,190
Fly screen for door	490
90 l diesel tank	190
PRICE ADVANTAGE up to 3.710	) - €***

#### 

#### PACKAGE COMPONENTS:

LED ambient lighting on top cabinets,
Dinette and kitchen
Additional top cabinet above rear doors
Mineral-compound kitchen counter
Logo panel in metal look on the kitchen block
Side storage compartment on kitchen unit with flap
Panorama sky roof
Rear left window (DA 590, 592, 620)
Folding tabletop
Flush-mounted, insulated frame windows
on both sides

<b>⊗</b> MEDIA PACKAGE 1*	790 €
PACKAGE COMPONENTS:	
Radio with CD-Player	
Touchscreen	
Steering wheel functions	
<b> ■ MEDIA PACKAGE 2*</b>	990 €
PACKAGE COMPONENTS:	
Radio with CD-Player	
Touchscreen	
Steering wheel functions	
Rear view camera	
<b> ■ MEDIA PACKAGE 3*</b>	1.390 €
PACKAGE COMPONENTS:	1,550.
Radio with CD-Player	
Navigation with Touchscreen	
Steering wheel functions	
Rear view camera	
◆ FORD MEDIA PACKAGE**  **  **  **  **  **  **  **  **  **	*** 3,190 €
PACKAGE COMPONENTS:	
Premium audio system	
Navigation with Touchscreen	
4 loudspeakers	
Europe navigation	
6" colour touch screen	
CVNC 2 voice activated connection	
SYNC 3 voice activated connection	+ call system
On-board computer	+ call system
	+ call system

MEDIA DACKAGE 1\*

# ADVANTAGES DAVIS & DEXTER AT A GLANCE

#### **CONVENIENT FURNISHINGS**

Comfortable beds

700 - €

All of our fixed beds are equipped with a stable slatted frame for more comfort and better ventilation as standard.

• More storage space

All rear beds can be folded up for easily accessible storage space. Every corner is used efficiently.

High quality upholstery

Upholstery foam is designed for durable seating comfort.

• Sliding/folding sink

The shower toilet area can be used flexibly with the sliding/folding sink.

#### PRACTICAL KITCHEN

Functional hob

Kitchen with 2 gas cookers including glass cover. While opened, the lid protects the wall from splashes; while closed, it serves as a work surface.

- Reliably closing drawers (push-lock closures)
- Large fridge in raised position (just DA 592, DE 581)
   With storage space above (depending on the floor plan), convenient access, up to 140 litres capacity
- Outdoor table rail
  In our van, the table can be hung outside for breakfast.

#### **EFFICIENT LIGHTING**

LED interior lighting

Energy-saving LED lighting throughout the vehicle.

• Ambient lighting
Subdued lighting for a cosy atmosphere.

#### **ON-BOARD EQUIPMENT**

- High-performance diesel or gas heaters
- Electrical pre-installation

All of our vans are equipped with a 220V/12V power outlet as well as TV/antenna socket and a USB connector.

LEAK-PROOF WARRANTY

#### **EASY ENTRY**

- Simple access Electric step.
- Central key system

A single key for the whole vehicle and 1 key for the service flaps.

<sup>\*</sup> not available for Dexter 560 + 560 4x4 | \*\* Dexter 560 + 560 4x4 standard equipment | \*\*\* in comparison to the sum of the individual items | \*\*\*\* just Dexter 560 + 560 4x4

# **ENGINE OPTIONS**

#### **⊗** DAVIS

ENGINE OPTIONAL		DAVIS 540	DAVIS 590	DAVIS 600	DAVIS 620	WEIGHT IN KG	PRICE IN €
2181	2.3 ltr. Fiat Multijet 103 kW (140 HP)						
	(addl. vs. 120 HP)	0	0	0	0	0	790
2182	2.3 ltr. Fiat Multijet 118 kW (160 HP)						
	(addl. vs. 120 HP)	0	0	0	0	15	3,290
2183	2,3 ltr. Fiat Multijet 132 kW (160 HP)						
	(addl. vs. 140 HP)	0	0	0	0	15	2,500
2184	2.3 ltr. Fiat Multijet 132 kW (180 HP)						
	(addl. vs.120 HP)	0	0	0	0	15	5,080
2185	2,3 ltr. Fiat Multijet 132 kW (180 HP)						
	(addl. vs. 140 HP)	0	0	0	0	15	4,290
CHAS	SIS OPTIONAL						
2315	Fiat Ducato 35H (16" Tyres,						
	up tp 3,000 kg Trailerload)	-	0	0	0	40	990

#### **⊗** DEXTER

ENGINE OPTIONAL		DEXTER 540 & 550	DEXTER 560, 560 4x4	DEXTER 555, 580, 595, 600, 625	WEIGHT IN KG	PRICE IN €
2180	2.0 ltr. Ford 125 kW (170 HP) (addl. vs.130 HP)	_	0	-	0	1,490
2181	2.3 ltr. Fiat Multijet 103 kW (140 HP instead 120 HP)	0	_	0	0	790
2182	2.3 ltr. Fiat Multijet 118 kW (160 HP instead 120 HP)	0	_	0	15	3,290
2184	2.3 ltr. Fiat Multijet 132 kW (180 HP instead 120 HP)	0	_	0	15	5,080
CHAS	SIS OPTIONAL					
2315	Fiat Ducato 35H (16" Tyres, up tp 3,000 kg Trailerload)	_	-	0	40	990

# GENERAL INSTRUCTIONS CONCERNING THE WEIGHT SITUATION OF CAMPERS

- Special fittings (additional equipment) increases the mass in running order and reduces the payload. The weight of the additional equipment can be ascertained from the information in our prospectus or can be obtained by asking your dealer/seller.
- The maximum number of persons indicated in each case depends on the weight and the mass on the axles. This number may be less if special fittings (=optional equipment/additional equipment) and accessories are installed, and so individual seats cannot be used in order to make way for additional payload. If all seats are to be used it will be necessary to dispense with some payload. The technically permissible total mass and the mass on the axles may not be exceeded.
- The possible payload is reduced when special fittings (= optional
  equipment/additional equipment) and accessories are installed.
  Furthermore the possible payload not only depends on the mass in
  running order, the actual vehicle mass, the weight of the accessories
  and the technically permissible total mass, but also on the mass on the
  respective axles. In order to take full advantage of the possible payload
  for the vehicle there must be an appropriate mass distribution related
  to the mass on the axles.

Installation of extra components such as roof cases, enginebike carriers, air conditioning equipment, blinds or bicycle carriers into the vehicle supplied with living space superstructure can change the dimensions and characteristics of the vehicle. In addition, the unladen weight changes if special equipment is installed. Please note the permissible axle load and load reserves. If several items of extra equipment are combined on the vehicle roof, the overall load capacity and the space available must be taken into consideration.

Eura Mobil GmbH does not accept responsibility for any negative effects to the vehicle caused by installation of additional equipment not consisting of ORIGINAL KARMANN-MOBIL PARTS and through installation of additional equipment in a manner which is not consistent with KARMANN-MOBIL GIJIDFI INFS

We reserve the right to make a difference of  $\pm 5\%$  in terms of measurements and weights. Information regarding scope of delivery, appearance, performance, dimensions and weights of the vehicles accords with the knowledge available at the time of printing. Such information may change prior to purchase of the vehicle. Your dealer will be pleased to inform you of any changes.

The mass in running order according to Article 2, item 4 a) of Commission Regulation (EU) No 1230/2012 is, unless otherwise regulated, defined as: the mass of the vehicle fitted with the standard equipment in accordance with the manufacturer's specifications (incl. on-board tools)

- + fuel tank(s) filled to at least 90 % of its or their capacity/ies
- + 75 kg (mass of the driver)
- + Aluminium liquefied gas bottle (11 kg capacity) filled to 100% (equivalent to 18 kg total mass)
- + Freshwater tank filled to 100%
- = mass in running order

The technically permissible maximum laden mass according to Article. 2, item 7 of Commission Regulation (EU) No 1230/2012 is defined as: The maximum mass of the vehicle when fully loaded according to the manufacturer.

The maximum permissible load as intended by the catalogue information is defined as: Technically permissible maximum laden mass – mass in running order = maximum permissible load

Issue: August 2019

S = Standard equipment | O = Standard equipment available at extra cost | - = not available

# **ALL MODELS AT A GLANCE**

# MODELS WITH ALL-WHEEL DRIVE to 6 m (Fird)



#### Dexter 560 4x4 The compact all-wheel-drive camper

- . "Real" all-wheel drive Short at only 5.98 m
- Double bed in the rear. fiold-up
- · Through-loading facility

to 6 m

# **MODELS WITH DOUBLE BEDS**



to 5.50 m

#### Dexter 540 Compact comfort layout

- · Double bed in the rear
- Seating group for 4 people
- External length only 5.41 m
- Foldable rear bead



Davis 540 Camping at a glance

- . It's all there, inside and outside
- · Everyday camper with robust fittings
- Now includes a larger seating group



Dexter 560 Room for five in the six-metre class!

- 4 beds
- Short at only 5.98 m Practical central washroom
- Double bed in the rear fiold-up
- · Through-loading facility



Dexter 580 Exclusive fittings in successful lavout

- · Double bed in the rear · Seating group for
- 4 people
- External length only 5.99 m Large elongated washroom
- High wardrobe

to 5.50 m



Dexter 581 All inclusive

- . Double bed in the rear
- Seating group for 4 people
- External length only 5.99 m Large elongated washroom
- High wardrobe
- Double bunk bed
- Refrigerator XL (140 Ltr.)

to 6 m

MODELS WITH HIGH ROOF AND LIFT-UP BEDS



Davis 590

to 6 m

- The dynamic classic model
- Foldable rear bead Large rear storage space
- · Seating group for 4 people
- Large elongated kitchen



Davis 591 The family car

- Foldable rear bead
- Large rear storage space
- Seating group for 4 people
- Large elongated kitchen
- Double bunk bed in the rear



Davis 592 Extra comfort in

- the kitchen
- Foldable rear bead
- · Large rear storage space Seating group for 4 people
- · Large elongated kitchen
- Refrigerator XL (140 Ltr.)

#### **MODELS WITH SINGLE BEDS**



#### Dexter 600 Double the comfort for two

- Single beds
- Only 5.99 m long
- · Bar seating group with glass case for 2 people
- Surprisingly large washroom
- Great ambiance





Davis 600 A lot of space in a compact form

- · Compact length Convenient bathroom
- with room shower
- Single beds
- Half dinette

Davis 620 Single bed comfort par excellence

- · Comfortable single beds in the rear or double bed 1.90 m x 1.90 m
- · Large kitchen unit
- · Practical washroom with movable washbasin
- · Generous stowage facilities in the rear





Dexter 625 Generous lenght

- Large elongated kitchen
- · Seating group for 4 people

- · Comfortable single beds
- · Big storage-room in the rear

#### Dexter 550 The multi-talent

- Fold-down bunk in high roof
- Only 5.48 m long Fold-away sofa in the
- seating group Large L kitchen
- Large wardrobe



# Dexter 555

- · Garage with a big storage room
- · Rear bed
- · Electrical fold-down bunk



## Allrounder with Lift-up beds

- Up tp 5 seats
- Large rear washroom • 6 beds possible



### Dexter 595

- Compact luxury
- · Enormous rear washroom • Large L-kitchen with 140-ltr Drawer refrigerator
- · Fold-down bunk in high roof · Fold-away sofa in the
- seating group Lenght only 5.99 m
- Up to 5 seats Large closet



All Davis models now have continuous wall units and free passage to the driver's cab

> KARMANN Mobil **Eura Mobil GmbH** Kreuznacher Str. 78

D-55576 Sprendlingen Tel.: +49 (0) 6701-203 800 Fax: +49 (0) 6701-203 869 www.karmann-mobil.de